

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S30	101	("370"/\$.CQLS.) AND ((consecutive OR sequent\$4 OR successive OR contiguous OR adjacent) NEAR3 ((packet OR message OR cell OR frame OR (data NEAR unit) OR pdu) NEAR2 (end\$4 OR tail))) AND @ad<"20021015"	US-PGPUB; USPAT	OR	ON	2008/05/13 12:48
S31	85	("370"/\$.CQLS.) AND ((consecutive OR sequent\$4 OR successive OR contiguous) NEAR3 ((packet OR message OR cell OR frame OR (data NEAR unit) OR pdu) NEAR2 (end\$4 OR tail))) AND @ad<"20021015"	US-PGPUB; USPAT	OR	ON	2008/05/13 12:50
S32	32	("370"/\$.CQLS.) AND ((consecutive) NEAR3 ((packet OR message OR cell OR frame OR (data NEAR unit) OR pdu) NEAR2 (end\$4 OR tail))) AND @ad<"20021015"	US-PGPUB; USPAT	OR	ON	2008/05/13 12:51
S33	16	("370"/\$.CQLS.) AND ((consecutive OR sequent\$4 OR successive OR contiguous OR adjacent) NEAR ((packet OR message OR cell OR frame OR (protocol NEAR data NEAR unit) OR pdu) NEAR (end\$4 OR tail))) AND @ad<"20021015"	US-PGPUB; USPAT	OR	ON	2008/05/13 12:52
S34	33	("370"/\$.CQLS.) AND ((consecutive OR sequent\$4 OR successive OR contiguous OR adjacent) NEAR2 ((packet OR message OR cell OR frame OR (protocol NEAR data NEAR unit) OR pdu) NEAR (end\$4 OR tail))) AND @ad<"20021015"	US-PGPUB; USPAT	OR	ON	2008/05/13 12:54
S35	17	S34 NOT S33	US-PGPUB; USPAT	OR	ON	2008/05/13 12:54
S36	15735	("370"/\$.CQLS.) AND (segment \$6 OR partition\$3) AND @ad<"20021015"	US-PGPUB; USPAT	OR	ON	2008/05/13 12:58
S37	76	("370"/\$.CQLS.) AND (class\$6 NEAR (segment\$6 OR partition \$3)) AND @ad<"20021015"	US-PGPUB; USPAT	OR	ON	2008/05/13 12:59

S38	0	("370"/\$.CQLS.) AND (class\$6 NEAR3 (segment\$6 OR partition\$3) NEAR3 (middle OR intermediate)) AND @ad<"20021015"	US-PGPUB; USPAT	OR	ON	2008/05/13 13:05
S39	173	("370"/\$.CQLS.) AND ((segment\$6 OR partition\$3) NEAR3 (middle OR intermediate)) AND @ad<"20021015"	US-PGPUB; USPAT	OR	ON	2008/05/13 13:05
S40	0	("370"/\$.CQLS.) AND (nexus NEAR "5001") AND @ad<"20040319"	US-PGPUB; USPAT	OR	ON	2008/05/13 13:58
S41	66	("370"/\$.CQLS.) AND (nexus) AND @ad<"20040319"	US-PGPUB; USPAT	OR	ON	2008/05/13 14:02
S42	0	("370"/\$.CQLS.) AND (nexus NEAR3 forum) AND @ad<"20040319"	US-PGPUB; USPAT	OR	ON	2008/05/13 14:03
S43	0	("370"/\$.CQLS.) AND (nexus WITH forum) AND @ad<"20040319"	US-PGPUB; USPAT	OR	ON	2008/05/13 14:03
S44	19	(nexus WITH forum) AND @ad<"20040319"	US-PGPUB; USPAT	OR	ON	2008/05/13 14:04
S45	46	(ieee WITH isto) AND @ad<"20040319"	US-PGPUB; USPAT	OR	ON	2008/05/13 14:10
S46	27	S45 NOT S44	US-PGPUB; USPAT	OR	ON	2008/05/13 14:11
S47	226	("370"/\$.CQLS.) AND ((state NEAR transition\$4) NEAR3 (packet OR frame OR cell OR (protocol NEAR data NEAR unit) OR pdu)) AND @ad<"20040319"	US-PGPUB; USPAT	OR	ON	2008/05/13 14:41
S48	342	("370"/\$.CQLS.) AND ((state NEAR transition\$4) NEAR3 (packet OR frame OR cell OR (protocol NEAR data NEAR unit) OR pdu OR segment\$6 OR message)) AND @ad<"20040319"	US-PGPUB; USPAT	OR	ON	2008/05/13 14:41
S49	8	("370"/\$.CQLS.) AND ((state NEAR transition\$4) NEAR3 ((packet OR frame OR cell OR (protocol NEAR data NEAR unit) OR pdu OR segment\$6 OR message) NEAR (type OR class \$6))) AND @ad<"20040319"	US-PGPUB; USPAT	OR	ON	2008/05/13 14:42

S50	8	("709"/\$.CQLS.) AND ((state NEAR transition\$4) NEAR3 ((packet OR frame OR cell OR (protocol NEAR data NEAR unit) OR pdu OR segment\$6 OR message) NEAR (type OR class \$6))) AND @ad<"20040319"	US-PGPUB; USPAT	OR	ON	2008/05/13 14:49
S51	1149	("370"/\$.CQLS.) AND (multiple NEAR3 segment\$6) AND @ad<"20040319"	US-PGPUB; USPAT	OR	ON	2008/05/14 11:06
S52	34	(370/321,337,347,442.CQLS.) AND (multiple NEAR3 segment \$6) AND @ad<"20040319"	US-PGPUB; USPAT	OR	ON	2008/05/14 11:08
S53	69	("370"/\$.CQLS.) AND (multiple NEAR3 segmentation) AND @ad<"20040319"	US-PGPUB; USPAT	OR	ON	2008/05/14 11:08
S54	38	("370"/\$.CQLS.) AND ((end NEAR message) WITH (end NEAR packet)) AND @ad<"20040319"	US-PGPUB; USPAT	OR	ON	2008/05/14 11:20
S55	3	("370"/\$.CQLS.) AND ((contain \$4 OR compris\$4) WITH (packet NEAR end) WITH (message NEAR (start\$4 OR begin\$6))) AND @ad<"20040319"	US-PGPUB; USPAT	OR	ON	2008/05/14 11:56
S56	1	("709"/\$.CQLS.) AND ((contain \$4 OR compris\$4) WITH (packet NEAR end) WITH (message NEAR (start\$4 OR begin\$6))) AND @ad<"20040319"	US-PGPUB; USPAT	OR	ON	2008/05/14 11:57
S57	7	("370"/\$.CQLS.) AND ((contain \$4 OR compris\$4) WITH (packet NEAR2 end) WITH (message NEAR2 (start\$4 OR begin\$6))) AND @ad<"20040319"	US-PGPUB; USPAT	OR	ON	2008/05/14 11:58
S58	3	("709"/\$.CQLS.) AND ((contain \$4 OR compris\$4) WITH (packet NEAR2 end) WITH (message NEAR2 (start\$4 OR begin\$6))) AND @ad<"20040319"	US-PGPUB; USPAT	OR	ON	2008/05/14 11:59
S59	10	("370"/\$.CQLS.) AND ((packet NEAR end) WITH (message NEAR (start\$4 OR begin\$6))) AND @ad<"20040319"	US-PGPUB; USPAT	OR	ON	2008/05/14 11:59
S60	3	("709"/\$.CQLS.) AND ((packet NEAR end) WITH (message NEAR (start\$4 OR begin\$6))) AND @ad<"20040319"	US-PGPUB; USPAT	OR	ON	2008/05/14 12:03
S61	65	("370"/\$.CQLS.) AND (multiple NEAR3 segmentation) AND @ad<"20021015"	US-PGPUB; USPAT	OR	ON	2008/05/14 12:04

S62	0	("370"/\$.CQLS.) AND ((multiple NEAR (stage OR level)) NEAR3 segmentation) AND @ad<"20021015"	US-PGPUB; USPAT	OR	ON	2008/05/14 12:05
S63	0	("370"/\$.CQLS.) AND ((multiple NEAR2 (stage OR level)) NEAR3 segmentation) AND @ad<"20021015"	US-PGPUB; USPAT	OR	ON	2008/05/14 12:05
S64	1	("370"/\$.CQLS.) AND ((multiple NEAR2 (stage OR level)) WITH segmentation) AND @ad<"20021015"	US-PGPUB; USPAT	OR	ON	2008/05/14 12:05
S65	0	("709"/\$.CQLS.) AND ((multiple NEAR2 (stage OR level)) WITH segmentation) AND @ad<"20021015"	US-PGPUB; USPAT	OR	ON	2008/05/14 12:05
S66	0	("370"/\$.CQLS.) AND (((end\$4 OR tail) NEAR first NEAR packet) WITH ((start\$4 OR begin\$6) NEAR message)) AND @ad<"20021015"	US-PGPUB; USPAT	OR	ON	2008/05/15 11:28
S67	0	("370"/\$.CQLS.) AND (((end\$4 OR tail) NEAR2 first NEAR2 packet) WITH ((start\$4 OR begin\$6) NEAR2 message)) AND @ad<"20021015"	US-PGPUB; USPAT	OR	ON	2008/05/15 11:29
S68	0	("709"/\$.CQLS.) AND (((end\$4 OR tail) NEAR2 first NEAR2 packet) WITH ((start\$4 OR begin\$6) NEAR2 message)) AND @ad<"20021015"	US-PGPUB; USPAT	OR	ON	2008/05/15 11:29
S69	1	("370"/\$.CQLS.) AND (((end\$4 OR tail) NEAR2 first NEAR2 packet) SAME ((start\$4 OR begin\$6) NEAR2 message)) AND @ad<"20021015"	US-PGPUB; USPAT	OR	ON	2008/05/15 11:31
S70	1	"6879593".PN.	US-PGPUB; USPAT	OR	ON	2008/05/15 16:44
S71	29	((iee WITH isto) AND @ad<"20021015"	US-PGPUB; USPAT	OR	ON	2008/05/15 19:12
S72	0	((iee WITH isto) AND (message WITH segment\$6)) AND @ad<"20021015"	US-PGPUB; USPAT	OR	ON	2008/05/15 19:12
S73	22	((iee WITH isto) AND message) AND @ad<"20021015"	US-PGPUB; USPAT	OR	ON	2008/05/15 19:12
S74	53	(nexus WITH (message OR segment\$6 OR packet)) AND @ad<"20021015"	US-PGPUB; USPAT	OR	ON	2008/05/15 19:17

S75	9	((((de NEAR bug\$6) OR debug \$6) AND (nexus WITH (message OR segment\$6 OR packet))) AND @ad<"20021015"	US- PGPUB; USPAT	OR	ON	2008/05/15 19:19
-----	---	--	------------------------	----	----	---------------------

5/ 19/ 2008 3:26:43 PM

C:\ Documents and Settings\jsmith1\ My Documents\ EAST\ Workspaces\ ap10_531_249.wsp